

Practice Final Exam for Calculus II, Math 1502, December 10, 2010**Name:****Section:****Name of TA:**

This test is to be taken without calculators and notes of any sorts. The allowed time is 2 hours and 50 minutes. Provide exact answers; not decimal approximations! For example, if you mean $\sqrt{2}$ do not write $1.414\dots$. Show your work, otherwise credit cannot be given.

Write your name, your section number as well as the name of your TA on EVERY PAGE of this test. This is very important.

Problem	Score
I	
II	
III	
IV	
V	
VI	
VII	
VIII	
IX	
X	
XI	
XII	
Total	

Name:

Section:

Name of TA:

Problems related to Block 1:

I: (15 points) Compute with an error less than 10^{-3}

$$\int_2^3 e^{\frac{1}{x^2}} dx .$$

II: a) (7 points) Compute the limit

$$\lim_{x \rightarrow 0} \frac{e^x - \cos x - \sin x}{x^3}$$

b) (8 points) Does the improper integral

$$\int_0^1 \frac{1}{x^2} e^{\frac{1}{x}} dx$$

exist? If yes, compute it.

Name:

Section:

Name of TA:

Problems related to Block 2:

III: a) (7 points) Is the series

$$\sum_{k=0}^{\infty} (-1)^k \frac{(k!)^2}{k^{2k}}$$

convergent? Is it absolutely convergent?

b) (8 points) Find the interval of convergence of the power series

$$\sum_{k=1}^{\infty} (-1)^k k^{-1+\frac{1}{k}} (x-2)^k$$

IV: (15 points) Solve the initial value problem

$$y' - \frac{1}{x^2}y = e^{-\frac{1}{x}} \text{ , } y(1) = \frac{2}{e} \text{ .}$$

Name:

Section:

Name of TA:

Problems related to Block 3:

V: (20 points) Consider the system of equations

$$2x + y + z = b$$

$$x + y - 2z = 2$$

$$x - y + az = -1$$

Determine all values for a and b for which this system has a) non solution, b) exactly one solution, c) infinitely many solutions. In the case b) and c) Compute all the solutions in terms of a and b .

VI: (15 points) A plane in \mathbb{R}^3 passes through the points

$$\mathbf{p}_1 = \begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix}, \quad \mathbf{p}_2 = \begin{bmatrix} 2 \\ 1 \\ 2 \end{bmatrix}, \quad \mathbf{p}_3 = \begin{bmatrix} 2 \\ 2 \\ 2 \end{bmatrix}$$

Give two representations of the plane, one in terms of parametrization and one in terms of an equation.

Name:

Section:

Name of TA:

VII: (20 points) Use the least square method to find the distance of the tip of the vector

$$\begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix}$$

to the plane given by

$$\begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix} + s \begin{bmatrix} 2 \\ 1 \\ -1 \end{bmatrix} + t \begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix}$$

Solve the problem in two ways, once using the normal equations and then using the QR factorization.

VIII: (15 points) Consider the matrix

$$\begin{bmatrix} 2 & 3 & 5 & 6 \\ 1 & 0 & 1 & 3 \\ 4 & 1 & 5 & 12 \\ 2 & 1 & 4 & 7 \end{bmatrix}$$

Find a basis for $Img(A)$ and for $Ker(A)$ as well as for $Img(A^T)$ and for $Ker(A^T)$. Try do this with a little computation as possible.

Name:

Section:

Name of TA:

IX: (15 points) Graph the curve given by the equation

$$11x^2 - 6xy + 19y^2 = 10 .$$

X: (15 points) Diagonalize the matrices

$$a) \begin{bmatrix} 4 & 1 & 1 \\ 1 & 4 & 1 \\ 1 & 1 & 4 \end{bmatrix} .$$

$$b) \begin{bmatrix} 6 & 9 \\ 4 & 11 \end{bmatrix}$$

Name:

Section:

Name of TA:

XI: (20 points) Solve the initial value problem given by the system

$$\begin{aligned}x' &= 8x + 9y \\y' &= 4x + 13y \\x(0) &= 1, \quad y(0) = 2\end{aligned}\tag{0.1}$$

Use both methods, the superposition principle and the exponential of a matrix.

XII: (15 points) Solve the recursive relation, i.e., find a_n for arbitrary values of n ,

$$a_{n+1} = 8a_n + 9a_{n-1}$$

with $a_0 = a_1 = 1$.